


## ANGLE GAUGE

- To check complementary angles
- Made of stainless steel




4806-20




Code	Range ( $\alpha$ )	Angle of leaves included	Quantity of leaves	Accuracy
4806-20	1°-45°	1°, 2°, 3°, 4°, 5°, 6°, 7°, 8°, 9°, 10°, 12°, 14°, 16°, 18°, 20°, 25°, 30°, 35°, 40°, 45°	20	±30'

## ANGLE GAUGE SET



type A



type B



4807

Primary angle	1/2 primary angle	Complementary angle	Type
5°	2°30'	175°	A
10°	5°	170°	A
15°	7°30'	165°	A
20°	10°	160°	B
25°	12°30'	155°	B
30°	15°	150°	B
35°	17°30'	145°	B
40°	20°	140°	B
45°	22°30'	135°	B
50°	25°	130°	B
55°	27°30'	125°	B
60°	30°	120°	B
65°	32°30'	115°	B
70°	35°	110°	B
75°	37°30'	105°	B
80°	40°	100°	B
85°	42°30'	95°	B
90°	45°	90°	B

- Each blade checks primary, 1/2 primary and complementary angles
- Made of medium carbon steel

Code	Quantity of leaves	Accuracy
4807	18	±10'


## 15

## RADIUS GAUGES

- Made of medium carbon steel



4801-17



Code	Range	Radius of leaves included (mm)	Quantity of leaves (internal + external)
4801-17	1-7mm	1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7	17+17
4801-16	7.5-15mm	7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15	16+16
4801-15	15.5-25mm	15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25	15+15

## RADIUS GAUGES




**4802-31**



**4802-51**


- Made of stainless steel

Code	Range	Radius of leaves included (mm)	Quantity of leaves
<b>4802-31</b>	25-40mm	25, 25.5, 26, 26.5, 27, 27.5, 28, 28.5, 29, 29.5, 30, 30.5, 31, 31.5, 32, 32.5, 33, 33.5, 34, 34.5, 35, 35.5, 36, 36.5, 37, 37.5, 38, 38.5, 39, 39.5, 40	31
<b>4802-41</b>	41-50mm	41, 42, 43, 44, 45, 46, 47, 48, 49, 50	10
<b>4802-51</b>	51-60mm	51, 52, 53, 54, 55, 56, 57, 58, 59, 60	10
<b>4802-61</b>	61-70mm	61, 62, 63, 64, 65, 66, 67, 68, 69, 70	10
<b>4802-71</b>	71-80mm	71, 72, 73, 74, 75, 76, 77, 78, 79, 80	10
<b>4802-81</b>	81-90mm	81, 82, 83, 84, 85, 86, 87, 88, 89, 90	10
<b>4802-91</b>	91-100mm	91, 92, 93, 94, 95, 96, 97, 98, 99, 100	10



## RADIUS GAUGE SET

- Each piece has 3 concave and 2 convex gauging surfaces
- Supplied with handle
- Made of medium carbon steel



**4804-26**


Code	Range	Radius of leaves included (mm)	Quantity of leaves
<b>4804-26</b>	0.5-13mm	0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13	26

## DRILL POINT GAUGE

- For twist drills with 118° angle, to check if the center of tip is concentric with the drill body
- Made of stainless steel



4843-1





Code	Accuracy	
	Angle	Length
4843-1	±0.5°	±0.5mm

## DRILL ANGLE GAUGE

- Check drills with angle 60°, 70°, 90°, 118°, 125°, 135°, 150° or 160°
- Made of stainless steel




4842-1



Code	Accuracy
4842-1	±0.5°

## ANGLE GAUGE


15



check the angle of screw cutting tools



4854-1



- Made of stainless steel

Code	Range	Accuracy
4854-1	29°, 30°, 40°, 45°, 50°, 55°, 60°	±10'